

**Nixon Peabody LLP**

Attorneys at Law  
 Anthony J. Canning  
 200 Page Mill Road, Suite 200  
 Palo Alto, CA 94306  
 Direct Dial: (650) 320-7782  
 Direct Fax: (650) 320-7701

**PRIVILEGE AND CONFIDENTIALITY NOTICE**

The information in this fax is intended for the named recipients only. It contains privileged and confidential matter. If you have received this fax in error, please notify us immediately by a collect telephone call to (415) 984-8200 and return the original to the sender by mail. We will reimburse you for postage. Do not disclose the contents to anyone. Thank you.

**FAX**

interview\_summary\_Proposed\_Amendment  
 6/11/2009

To:	Company	Fax #:	Telephone #:
1) Examiner Pham	USPTO	(571) 273-1696	
2)			
3)			
4)			
5)			

INTERNATIONAL PHONE NUMBERS MUST INCLUDE COUNTRY & CITY CODE. SEE LOCAL WHITE PAGES FOR CODES NEEDED.

<b>From:</b> Anthony J. Canning	<b>Date:</b> June 11, 2009	<b>No. of Pages:</b> 5 (including this page)	
<b>Comments:</b>  Please confirm receipt of this facsimile.  <b>REVISED PROPOSED EXAMINER'S AMENDMENT</b>			

Original of the transmitted document will be sent by:

☐ First Class Mail

☐ Overnight Mail

☐ Hand Delivery

☒ This transmission will be the only form of delivery of this document

Attorney Docket No. 740756-2948

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of:	)	
Shinji MAEKAWA et al.	)	Group Art Unit: 2894
Application No. 10/574,616	)	Examiner: Thanhha S. Pham
Filed: April 5, 2006	)	Confirmation No. 2107
For: METHOD FOR FORMING PATTERN, THIN	)	
FILM TRANSISTOR, DISPLAY DEVICE AND	)	Date: <b>DRAFT</b>
METHOD FOR MANUFACTURING THE SAME,	)	
AND TELEVISION DEVICE	)	

**REVISED PROPOSED EXAMINER'S AMENDMENT OF THE CLAIMS –****NOT FOR ENTRY**

Applicants respectfully request that the following amendments to the claims be included in an Examiner's Amendment. Examiner Pham proposed the following amendment to the claims, stating that such an amendment would place the claims in condition for allowance.

Attorney Docket No. 740756-2948  
Application No. 10/574,616  
Page 2 of 4

**IN THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method for forming a pattern comprising the steps of:  
forming a wiring of a semiconductor device over a light-transmitting substrate;  
forming a first region having a substance including a light-absorbing material over the light-transmitting substrate and the wiring;

forming a second region by irradiating the substance with light to modify a part of a surface of the substance wherein the light has a wavelength which is absorbable by the light-absorbing material; and

forming a conductive pattern on the part of the surface of the substance on the second region by discharging a compound including a pattern forming material,

wherein the part of the surface of the substance is modified so that the second region has a higher wettability than the first region with respect to the compound.

2. (Currently Amended) A method for forming a pattern comprising the steps of:  
forming a wiring of a semiconductor device over a light-transmitting substrate;  
forming a first region having a substance including a light-absorbing material over the light-transmitting substrate and the wiring;

forming a second region by irradiating the substance with light through the light-transmitting substrate to modify a part of a surface of the substance wherein the light has a wavelength which is absorbable by the light-absorbing material; and

forming a conductive pattern on the part of the surface of the substance on the second region by discharging a compound including a pattern forming material,

wherein the part of the surface of the substance is modified so that the second region has a higher wettability than the first region with respect to the compound.

3. (Currently Amended) A method for forming a pattern comprising the steps of:

Attorney Docket No. 740756-2948

Application No. 10/574,616

Page 3 of 4

forming a wiring of a semiconductor device over a light-transmitting substrate;  
forming a first region having a substance including a light-absorbing material over the light-transmitting substrate and the wiring;

forming a second region by irradiating the substance with a light through the light-transmitting substrate to modify a part of a surface of the substance wherein the light has a wavelength which is absorbable by the light-absorbing material;

removing the light-absorbing material; and

forming a conductive pattern on the part of the surface of the substance on the second region by discharging a compound including a pattern forming material,

wherein the part of the surface of the substance is modified so that the second region has a higher wettability than the first region with respect to the compound.

4. (Previously Presented) The method for forming a pattern according to any one of claims 1, 2 and 3, wherein the light-absorbing material is dissolved in the substance to form the substance including the light-absorbing material.

5. (Withdrawn) The method for forming a pattern according to any one of claims 1, 2 and 3, wherein the light-absorbing material is dispersed in the substance to form the substance including the light-absorbing material.

6. (Withdrawn) The method for forming a pattern according to any one of claims 1, 2 and 3, wherein a pigment is used as the light-absorbing material to form the substance including the light-absorbing material.

7. (Withdrawn) The method for forming a pattern according to any one of claims 1, 2 and 3, wherein a photocatalyst substance is used as the light-absorbing material to form the substance including the light-absorbing material.

8. (Previously Presented) The method for forming a pattern according to any one of claims 1, 2 and 3, wherein the wavelength of the light is 300 nm or more and 400 nm or less, and

Attorney Docket No. 740756-2948

Application No. 10/574,616

Page 4 of 4

the light-absorbing material includes a coumarin.

9. (Withdrawn) The method for forming a pattern according to any one of claims 1, 2 and 3, wherein the substance including the light-absorbing material includes fluorocarbon chains.

10-29. (Canceled)

30. (Previously Presented) The method for forming a pattern according to any one of claims 1, 2 and 3, wherein the wiring is a silver wiring.